

# NodeUtils

<!-- --> <!-- -->

## Table of contents

1 .....	2
---------	---

1.

---



[First page](#)



[Back](#)



[Continue](#)



[Last page](#)



[Overview](#)



[Text](#)

IBM Research

22
© 2003 IBM Corporation

## NodeUtils

- Convenience methods for XPATH and XML

```

classDiagram
    class NodeUtils {
        <<Java Class>>
        subtreeContainsNode()
        getNodeSearchXPath()
        getTextNodesSearchXPath()
        getTextNodes()
        getTextNodeIterator()
        getTextNode()
        getNodes()
        getNodeIterator()
        getNode()
        isNil()
        getAttributeValue()
        getChildNode()
        getSafeTextNodeValue()
        isTrue()
    }
    class XPathAPI {
        <<Java Class>>
        XPathAPI()
        selectSingleNode()
        selectSingleNode()
        selectNodeIterator()
        selectNodeIterator()
        selectNodeList()
        selectNodeList()
        eval()
        eval()
        eval()
    }
    class String {
        <<Java Class>>
    }
    class NodeIterator {
        <<Java Interface>>
    }
    class Node {
        <<Java Interface>>
    }
    class NamedNodeMap {
        <<Java Interface>>
    }
    class TransformerException {
        <<Java Class>>
    }
    class NodeList {
        <<Java Interface>>
    }
    class Attr {
        <<Java Interface>>
    }
    NodeUtils ..> XPathAPI : «use»
    NodeUtils ..> String : «use»
    NodeUtils ..> NodeIterator : «use»
    NodeUtils ..> Node : «use»
    NodeUtils ..> NamedNodeMap : «use»
    NodeUtils ..> TransformerException : «use»
    NodeUtils ..> NodeList : «use»
    NodeUtils ..> Attr : «use»
    
```